Kreisregner Messing 3/4" Außengewinde 4,0 x 2,4 mm Typ RC 130 HH (0630105)





TECHNISCHE DATEN

Тур	RC 130 HH					
Werkstoff	Messing					
Anschluss	Außengewinde					
Düsen	4,0 x 2,4 mm					
Capacity 3bar	1,49 m³/h					
Capacity 4bar	1,71 m ³ /h					
Capacity 5bar	1,85 m ³ /h					
Maß	3/4"					
Radius 3bar	15 m					
Radius 4bar	15,2 m					
Radius 5bar	15,8 m					

	Type RC 130 HH																	
ĺ	4,0mm		4,4mm		4,8mm		4,0mm x 2,4mm			4,4mm x 2,4mm			4,8mm x 3,2mm					
	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bár	Q	D
	2,5	0,95	26,0	2,5	1,15	27,0	2,5	1,40	30,0	2,5	1,35	26,0	2,5	1,55	27,0	2,5	2,05	30,0
	3,5	1,15	27,0	3,5	1,38	28,4	3,5	1,67	30,8	3,5	1,60	27,0	3,5	1,80	28,4	3,5	2,40	30,8
	4.6	1.20	22.6	46	166	20.4	46	1.07	21.0	46	1.76	27.6	46	2.02	20.4	4.5	2.76	21.0

PRODUKTINFORMATIONEN

Regner mit drehbarer Kunststoffkappe zum Schutz der Feder. Besonders als Frostschutzregner geeignet.



Generiert am: 30.10.2025

Reber Beregnung GmbH
Gottlieb Daimler Str. 2
67227 Frankenthal
Deutschland
+49 (0) 6233 3772 - 0
info@reberberegnung.de
http://www.reberberegnung.de

