Kreisregner Messing 3/4" Außengewinde 5,2 x 3,2 mm Typ RC 140 (0630083)





TECHNISCHE DATEN

Тур	RC 140
Werkstoff	Messing
Anschluss	Außengewinde
Düsen	5,2 x 3,2 mm
Capacity 3bar	2,54 m ³ /h
Capacity 4bar	2,92 m ³ /h
Capacity 5bar	3,23 m ³ /h
Maß	3/4"
Radius 3bar	16,6 m
Radius 4bar	17,3 m
Radius 5bar	17,8 m

	Type RC 140										
4,8mm x 3,2mm			5,2mm x 3,2mm			5,6mm x 3,2mm					
	Bar	Q	Ø	Bar	Q	ø	Bair	Q	ø		
	3,5	2,40	32,0								
	4,5	2,72	33,0	4,5	3,06	34,4	4,5	3,38	36,6		
	6.6	2.06	22.6	6.6	2.26	26.4		2.70	27.4		

PRODUKTINFORMATIONEN

Geeignet für Standrohr Montage



Generiert am: 30.10.2025

Reber Beregnung GmbH
Gottlieb Daimler Str. 2
67227 Frankenthal
Deutschland
+49 (0) 6233 3772 - 0
info@reberberegnung.de
http://www.reberberegnung.de

